



GUIDELINES FOR PREPARATION FEED CONTAINER

1. **Earlt vegetative / Late vegetative / Bloom phase**
2. Fill with R/O water approx 68 F (± 20 C)
3. Add A component, ensure proper circulation
4. Add B component, ensure proper circulation
5. Adjust the EC value (see scheme for success)
6. Adjust pH between 5.5-6.2 (Optimaal 5.8)
7. Add stimulators (root, grow or bloom)
8. The water is ready

A&B HYDRO - A&B COCOS - A&B AQUA FLAKES FEED SCHEDULE 1 EU LITER / 1 USA GALLON (NUTRIENT-READY-FOR-USE)

	WK 1	WK 2	WK 1	WK 2	WK 3	WK 4	WK 5	WK 6	WK 7	WK 8
	1.2 EC	1.2 EC	1.3 EC	1.4 EC	1.5 EC	1.6 EC	1.9 EC	2.0 EC	2.0 EC	2.0 EC
Add to 1 EU Litre feed water	1.5 ML	1.5 ML	1.75 ML	2.0 ML	2.25 ML	2.5 ML	2.75 ML	3.0 ML	3.0 ML	3.0 ML
Add to 1 USA Gallon feed water	5.5 ML	5.5 ML	6.5 ML	7.5 ML	8.5 ML	9.5 ML	10.5 ML	11.5 ML	11.5 ML	11.5 ML

ALWAYS TAKE THE EC VALUE FIRST! EC-VALUES MAY DIFFER PER REGION! OBSERVE THE EC-VALUE OF THE SCHEME FOR SUCCESS!!

ROOTSSTIMULATOR FEED SCHEDULE 1 EU LITER / 1 USA GALLON (NUTRIENT-READY-FOR-USE)

	WK 1	WK 2	WK 1	WK 2	WK 3	WK 4	WK 5	WK 6	WK 7	WK 8
Add to 1 EU Litre feed water	0.3 ML	0.3 ML	0.3 ML	0.3 ML	0.3 ML					
Add to 1 USA Gallon feed water	1.1 ML	1.1 ML	1.1 ML	1.1 ML	1.1 ML					

MULTI ENZYM GROWSTIMULATOR FEED SCHEDULE 1 EU LITER / 1 USA GALLON (NUTRIENT-READY-FOR-USE)

	WK 1	WK 2	WK 1	WK 2	WK 3	WK 4	WK 5	WK 6	WK 7	WK 8
Add to 1 EU Litre feed water			1 ML	1 ML	1 ML					
Add to 1 USA Gallon feed water			3.8 ML	3.8 ML	3.8 ML					

BUD-XL BLOOMSTIMULATOR FEED SCHEDULE 1 EU LITER / 1 USA GALLON (NUTRIENT-READY-FOR-USE)

	WK 1	WK 2	WK 1	WK 2	WK 3	WK 4	WK 5	WK 6	WK 7	WK 8
Add to 1 EU Litre feed water						1 ML	1 ML	1 ML	1 ML	1 ML
Add to 1 USA Gallon feed water						3.8 ML	3.8 ML	3.8 ML	3.8 ML	3.8 ML

DRIPCLEAR CLEANINGS AGENT FEED SCHEDULE 1 EU LITER / 1 USA GALLON (NUTRIENT-READY-FOR-USE)

	WK 1	WK 2	WK 1	WK 2	WK 3	WK 4	WK 5	WK 6	WK 7	WK 8
Add to 1 EU Litre feed water	0.1 ML	0.1 ML	0.1 ML	0.1 ML	0.1 ML	0.1 ML	0.1 ML	0.1 ML	0.1 ML	0.1 ML
Add to 1 USA Gallon feed water	0.4 ML	0.4 ML	0.4 ML	0.4 ML	0.4 ML	0.4 ML	0.4 ML	0.4 ML	0.4 ML	0.4 ML


TOPBOOSTER BLOOM EXPENDER FEED SCHEDULE 1 EU LITER / 1 USA GALLON (NUTRIENT-READY-FOR-USE)

	4 weeks before harvest	
Add to 1 EU Litre feed water	1.5 ML	Using 3-4 days
Add to 1 USA Gallon feed water	5.7 ML	Using 3-4 days

SHOOTING POWDER BLOOM EXPENDER 1-2 SACHETS 100 LITER / 25 USA GALLONS (NUTRIENT-READY-FOR-USE)

	3 weeks before harvest	
1 sachet	first week of the last 3 weeks before harvest	ATTENTION: BASIC FERTILISER 1.2 EC (A&B NUTRIENT)
2 sachets	last 2 weeks of the 3 weeks before harvest	ATTENTION: BASIC FERTILISER 1.2 EC (A&B NUTRIENT)

DON'T USE SHOOTINGPOWDER IN A SYSTEM WITHOUT DRAIN. NEVER USE AN OXYGEN PUMP IN THE NUTRIENT CONTAINER OR ON THE GROWTH TABLE.



COCOS-HYDRO-AQUAFLAKES DNA-CEL SCHEME FOR SUCCESS



GUIDELINES FOR PREPARATION FEED CONTAINER

1. Early vegetative / Late vegetative / Bloom phase
2. Fill with R/O water approx (± 20 C)
3. Add A component, ensure proper circulation
4. Add B component, ensure proper circulation
5. Adjust the EC value (see scheme for success)
6. Adjust pH between 5.5-6.2 (Optimaal 5.8)
7. Add stimulators (root, grow or bloom)
8. The water is ready

A&B HYDRO - A&B COCOS - A&B AQUA FLAKES FEED SCHEDULE 1 LITER (NUTRIENT-READY-FOR-USE)

	WK 1	WK 2	WK 1	WK 2	WK 3	WK 4	WK 5	WK 6	WK 7	WK 8
	1.2 EC	1.2 EC	1.3 EC	1.4 EC	1.5 EC	1.6 EC	1.9 EC	2.0 EC	2.0 EC	2.0 EC
Add to 1 Litre feed water	1.5 ML	1.5 ML	1.75 ML	2.0 ML	2.25 ML	2.5 ML	2.75 ML	3.0 ML	3.0 ML	3.0 ML

ALWAYS TAKE THE EC VALUE FIRST! EC-VALUES MAY DIFFER PER REGION! OBSERVE THE EC-VALUE OF THE SCHEME FOR SUCCESS!!

DNA-CEL 1 ROOTSSTIMULATOR FEED SCHEDULE 1 LITER (NUTRIENT-READY-FOR-USE)

	WK 1	WK 2	WK 1	WK 2	WK 3	WK 4	WK 5	WK 6	WK 7	WK 8
Add to 1 Litre feed water	1.0 ML	1.0 ML	1.0 ML	1.0 ML	1.0 ML					

DNA-CEL 2 GROWSTIMULATOR FEED SCHEDULE 1 LITER (NUTRIENT-READY-FOR-USE)

	WK 1	WK 2	WK 1	WK 2	WK 3	WK 4	WK 5	WK 6	WK 7	WK 8
Add to 1 Litre feed water			1.0 ML	1.0 ML	1.0 ML					

DNA-CEL 3 BLOOMSTIMULATOR FEED SCHEDULE 1 LITER (NUTRIENT-READY-FOR-USE)

	WK 1	WK 2	WK 1	WK 2	WK 3	WK 4	WK 5	WK 6	WK 7	WK 8
Add to 1 Litre feed water						1.0 ML	1.0 ML	1.0 ML	1.0 ML	1 ML

DRIPCLEAR CLEANINGS AGENT FEED SCHEDULE 1 LITER (NUTRIENT-READY-FOR-USE)

	WK 1	WK 2	WK 1	WK 2	WK 3	WK 4	WK 5	WK 6	WK 7	WK 8
Add to 1 Litre feed water	0.1 ML	0.1 ML	0.1 ML	0.1 ML	0.1 ML	0.1 ML	0.1 ML	0.1 ML	0.1 ML	0.1 ML

TOPBOOSTER BLOOM EXPENDER FEED SCHEDULE 1 LITER (NUTRIENT-READY-FOR-USE)

	4 weeks before harvest									
Add to 1 Litre feed water	1.5 ML	Using 3-4 days				4 weeks before harvest				

TOP SHOOTER BLOOM EXPENDER FEED SCHEDULE 1 LITER (NUTRIENT-READY-FOR-USE)

	3 weeks before harvest									
0.7 ML Add to 1 Litre feed water	first week of the last 3 weeks before harvest					ATTENTION: BASIC FERTILISER 1.2 EC (A&B NUTRIENT)				
1.0 ML Add to 1 Litre feed water	last 2 weeks of the 3 weeks before harvest					ATTENTION: BASIC FERTILISER 1.2 EC (A&B NUTRIENT)				

DON'T USE SHOOTING POWDER IN A SYSTEM WITHOUT DRAIN.